

## Optical Fiber Laser

# Laser Range Finder

## OFL-LCM-20CP

The LiComm Laser Range Finder OFL-LCM-20CP is a full-functioning Range Finder with control circuitry packaged inside. The OFL-LCM-20CP offers exceeding shooting times as its unique all fiber laser technology. The OFL-LCM-20CP has a capability of finding up to 20km distance object and calculating accurate distance.

High reliability and modular package type reduce the maintenance cost for the OFL-LCM-20CP and make it especially suitable for the applications for highly reliable electric optical tracing system for moving target.

### Features

- Compact size (300 x 170 X 155 mm)
- High reliability and exceeding shooting times
- High repeat rate
- Negligible maintenance Cost
- Maximum measuring range up to 20km
- Laser module including electric control circuit
- Measuring resolution min. 2.5m
- Control & monitor by RS232 or RS422
- Single + 28V power supply



### Applications

- EOTS
- Moving target Range finding



## Optical Fiber Laser Laser Range Finder

**Mechanical Dimension**  
(300 x 170 X 155 mm)



### Optical Characteristics

Parameter	Symbol	OFL-LCM-20CP	Unit
Laser Wavelength	$\lambda$	Typ. 1565	nm
Max. Measuring Range	$D_{max}$	20	km
Min. Measuring Range	$D_{min}$	0.2	km
Measuring Rate	R	Typ. 10	Hz
Measuring Resolution	$D_{res}$	2.5	m
Measuring Accuracy	$D_{acu}$	Max. 5	m
Target Discrimination	$D_{dis}$	20	m

### Electric & Environmental Characteristics

Parameter	Typical Value
Power Supply Voltage	+28V
Interface	RS232 or RS422
Operating Case Temperature	- 10 ~ 50°C
Storage Temperature	- 40 ~ 85°C
Storage Humidity	5 ~ 90% R.H
Power Consumption	Max. 60W

### Ordering Information

OFL - LCM - 20CP

**LiComm Co., Ltd.**

**Address** 109, Baekja-ro Idong-myeon, Cheoin-gu, Yongin-Si, Gyeonggi-Do, 17126, Korea  
Tel: +82-31-323-1926,1936 Fax: +82-31-323-2447  
E-mail: sale@licomm.com Website : www.licomm.com