

## Optical Fiber Laser System

# CW Fiber Laser(1080nm) OFL-CYR Series



The LiComm OFL-CYR series is a 1080nm High Power Fiber Laser System with max. 3 Laser modules, a laser combiner, power supply, cooling distributor, and a control unit. The OFL-CYR series lasers offer high Beam quality and stable output power up to Mean Optical Power 3kW. Compact size (400 x 560 X 73 mm), combined with extremely low power consumption, allows the OFL-CYR series to be highly suitable for applications such as Welding, Cutting, Marking and more.

### Features

- Rack Type (WxLXH = 800 x 750 x 1050)
- Max. 1kW Laser Module x 3
- High output power up to mean power 3kW
- Excellent beam quality: BPP < 3 mm mrad
- Easy local Control on front panel (Button & LED)
- Remote Control & monitor by Ethernet
- Cooling by Water
- 3 Phases AC220V power input

### Applications

- Cutting
- Drilling
- Welding
- Marking

## Optical Fiber Laser System

# CW Fiber Laser(1080nm)

### Optical Characteristics


Parameter	Symbol	OFL-CYR-30AP	Unit
Laser Wavelength	$\lambda$	Typ. 1080	nm
Laser Output power	$P_{OUT}$	Max. 3	kW
Beam Parameter Product	BPP	<4	mm mrad
Output Power Stability	$P_{STA}$	Max. 5	%
Laser Output Termination		QBH	

### Electric & Environmental Characteristics

Parameter	Typical Value
Power Supply Voltage	3phases AC220V
Remote Control & Monitor	Ethernet
Local Control & Monitor	Control Button and LED
Operating Case Temperature	10~ 45°C
Storage Temperature	- 40 ~ 75°C
Storage Humidity	5 ~ 80% R.H
Power Consumption	Max. 12kW

### Ordering Information

OFL - CYR - XX<sub>1</sub>XX<sub>2</sub>


  
 XX<sub>1</sub> : Max. Output Power (kW)  
 XX<sub>2</sub> : AP(APC), AC(ACC)

### LiComm Co., Ltd.

#### Address

109, Baekja-ro Idong-myeon, Cheoin-gu, Yongin-Si,  
Gyeonggi-Do, 17126, Korea

Tel: +82-31-323-1926,1936 Fax: +82-31-323-2447

E-mail: sale@licomm.com Website : www.licomm.com